

Safety Data Sheet
IDROPLAST ANTIRADICE

Safety Data Sheet dated: 17/01/2020 - version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: IDROPLAST ANTIRADICE

Trade code: 7260605

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Liquid membrane based on synthetic polymers water dispersion

Uses advised against: N.A.

1.3. Details of the supplier of the safety data sheet

Company: POLYGLASS S.p.A.

Registered office: Viale Jenner, 4 - 20159 Milano

Headquarter: Via dell'Artigianato, 34- 31047 Ponte di Piave (TV)

Responsible: info@polyglass.it

1.4. Emergency telephone number

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029

POLYGLASS S.p.A. Tel: +39-0422-7547

Fax: +39-0422-854118 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

Special Provisions:

EUH208 Contains ottilico (R)-2-(4-cloro-2-metilfenossi) proprionato. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT/vPvB Ingredients are present

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: IDROPLAST ANTIRADICE

Hazardous components within the meaning of the CLP regulation and related classification:

| Quantity | Name | Ident. Numb. | Classification | Registration Number |
|--------------|---|--------------------------------|---|---------------------|
| ≥0.49 - <1 % | ottilico (R)-2-(4-cloro-2-metilfenossi) proprionato | CAS:66423-13-0 EC:266-358-7 | Acute Tox. 4, H302; Skin Sens. 1,1A,1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | |
| ≥0.49 - <1 % | 2-butoxyethanol; ethylene glycol monobutyl ether | CAS:111-76-2 EC:203-905-0 | Eye Irrit. 2, H319; Skin Irrit. 2, H315; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | 01-2119475108-36 |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: N.A.

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

| Component | OEL Type | Country | Ceiling | Long Term mg/m3 | Long Term ppm | Short Term mg/m3 | Short Term ppm | Behaviour | Note |
|--|----------------|----------------|---------|-----------------|---------------|------------------|----------------|-----------|---|
| 2-butoxyethanol; ethylene glycol monobutyl ether | SUVA | NNN | | 49,000 | 10,000 | 98,000 | 20,000 | | |
| | NDS | NNN | | 98,000 | | | | | |
| | National | SWEDEN | | 50,000 | 10,000 | 100,000 | 20,000 | | SWEDEN, Short-term value, 15 minutes average value |
| | National | FINLAND | | 98,000 | 20,000 | 250,000 | 50,000 | | FINLAND, hud |
| | National | NORWAY | | 50,000 | 10,000 | | | | H E |
| | NDSCh | NNN | | 200,000 | | | | | |
| | EU | NNN | | 98,000 | 20,000 | 246,000 | 50,000 | | Skin |
| | ACGIH | NNN | | | 20,000 | | | | A3, BEI - Eye and URT irr |
| | DFG | GERMANY | C | | | 98,000 | 20,000 | | |
| | ACGIH | NNN | | | 20,000 | | | | A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans; eye and upper respiratory tract irritation |
| | National | SWEDEN | | 50,000 | 10,000 | | | | |
| | National | FRANCE | | 49,000 | 10,000 | 246,000 | 50,000 | | |
| | National | SPAIN | | 98,000 | 20,000 | 245,000 | 50,000 | | |
| | National | GREECE | | 120,000 | 25,000 | | | | |
| | National | DENMARK | | 98,000 | 20,000 | | | | |
| | National | FINLAND | | 98,000 | 20,000 | 250,000 | 50,000 | | |
| | National | GERMANY | | 49,000 | 10,000 | | | | |
| | National | PORTUGAL | | 98,000 | 20,000 | 246,000 | 50,000 | | |
| | National | BELGIUM | | 98,000 | 20,000 | 246,000 | 50,000 | | |
| | NDS | POLAND | | 98 | | | | | |
| | NDSCh | POLAND | | | | 200,000 | | | |
| | CHE | SWITZERLAND | | | | 98,000 | 20,000 | | |
| | NDS | NETHERLANDS | | 100,000 | | 246,000 | | | |
| | National | CZECH REPUBLIC | | 100,000 | | | | | |
| | National | HUNGARY | | 98,000 | | 246,000 | | | |
| | Malaysia OEL | MALAYSIA | | 96,700 | 20,000 | | | | Skin notation |
| | National | ESTONIA | | 98,000 | 20,000 | 246,000 | 50,000 | | |
| National | LATVIA | | 98,000 | 20 | 246,000 | 50,000 | | | |
| National | CZECH REPUBLIC | C | | | 200,000 | | | | |
| National | SLOVAKIA | C | | | 246,000 | | | | |
| National | SLOVAKIA | | 98,000 | 20,000 | | | | | |
| National | SLOVENIA | | 98,000 | 20,000 | 245,000 | 50,000 | | | |
| National | UNITED KINGDOM | | 123,000 | 25,000 | 246,000 | 50,000 | | | |
| National | BULGARIA | | 98,000 | 20,000 | 246,000 | 50,000 | | | |
| National | ROMANIA | | 98,000 | 20,000 | 246,000 | 50,000 | | | |
| TUR | TURKEY | | 98,000 | 20,000 | 246 | 50 | | | |
| National | LITHUANIA | | 50,000 | 10,000 | 100,000 | 20,000 | | | |
| National | CROATIA | | 98 | 20 | 246 | 50 | | | |

Biological Exposure Index

| CAS-No. | Component | Value | UoM | Medium | Biological Indicator | Sampling Period |
|----------|--|-------|----------|--------|---------------------------|-----------------|
| 111-76-2 | 2-butoxyethanol; ethylene glycol monobutyl ether | 200 | MGGCREAT | Urine | Butoxyacetic acid (BAA) | End of turn |

Derived No Effect Level. (DNEL)

| Component | CAS-No. | Worker Industrial | Worker Professional | Consumer | Exposure Route | Exposure Frequency | Remark |
|--|----------|-------------------|---------------------|------------|------------------|--------------------|------------------|
| 2-butoxyethanol; ethylene glycol monobutyl ether | 111-76-2 | 135 ppm | | 426 mg/m3 | Human Inhalation | Short Term, | systemic effects |
| | | 89 mg/kg | | 44,5 mg/kg | Human Dermal | Short Term, | systemic effects |
| | | | | 13,4 mg/kg | Human Oral | Short Term, | systemic effects |
| | | 50 ppm | | 123 mg/m3 | Human Inhalation | Short Term, | local effects |
| | | 75 mg/kg | | 38 mg/kg | Human Dermal | Long Term, | systemic effects |
| | | 20 ppm | | 49 mg/m3 | Human Inhalation | Long Term, | systemic effects |
| | | | | 3,2 mg/kg | Human Oral | Long Term, | systemic effects |

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; EN 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Hygienic and Technical measures

N.A.

Appropriate engineering controls:

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance and colour: paste light brown

Odour: N.A.

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: 65 °C (149 °F)

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.
Vapour pressure: N.A.
Relative density: N.A.
Solubility in water: soluble
Partition coefficient (n-octanol/water): N.A. - This product is a mixture
Auto-ignition temperature: N.A. - No explosive or spontaneous ignition in contact with air at room temperature
Decomposition temperature: N.A.
Viscosity: N.A.
Explosive properties: N.A. - No components with explosive properties
Oxidizing properties: N.A. - No component with oxidizing properties
Solid/gas flammability: N.A.

9.2. Other information

No additional information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

2-butoxyethanol; a) acute toxicity LC50 Inhalation Rat = 2,2 mg/l 4h
ethylene glycol monobutyl ether

LD50 Oral Rat = 615 mg/kg

LD50 Skin Rabbit = 405 mg/kg

LD50 Skin Rabbit = 99 mg/kg

LC50 Inhalation Rat = 450 ppm 4h

LC50 Inhalation Rat = 486 ppm 4h

LD50 Oral Rat = 470 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure

j) aspiration hazard

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

List of components with eco-toxicological properties

| Component | Ident. Numb. | Ecotox Infos |
|--|-----------------------------------|--|
| 2-butoxyethanol; ethylene glycol monobutyl ether | CAS: 111-76-2 - EINECS: 203-905-0 | a) Aquatic acute toxicity : EC50 Daphnia > 100 mg/L 48 a) Aquatic acute toxicity : LC50 Fish > 100 mg/L 96 a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 1490 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 2950 mg/L 96h IUCLID a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna > 1000 mg/L 48h EPA |

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Product:

Do not dispose of waste into sewers.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to an authorized waste disposal service.

Contaminated packaging:

Empty remaining content.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number

N.A.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID) :

N.A.

Air (IATA) :

N.A.

Sea (IMDG) :

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC) : 0 g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) 2015/830

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

German Water Hazard Class.

2

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: None

SVHC Substances:

No data available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

| Code | Description |
|------|---|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

| Code | Hazard class and hazard category | Description |
|--------------|----------------------------------|---|
| 3.1/4/Dermal | Acute Tox. 4 | Acute toxicity (dermal), Category 4 |
| 3.1/4/Inhal | Acute Tox. 4 | Acute toxicity (inhalation), Category 4 |
| 3.1/4/Oral | Acute Tox. 4 | Acute toxicity (oral), Category 4 |

| | | |
|---------------|--------------------|--|
| 3.2/2 | Skin Irrit. 2 | Skin irritation, Category 2 |
| 3.3/2 | Eye Irrit. 2 | Eye irritation, Category 2 |
| 3.4.2/1-1A-1B | Skin Sens. 1,1A,1B | Skin Sensitisation, Category 1,1A,1B |
| 4.1/A1 | Aquatic Acute 1 | Acute aquatic hazard, category 1 |
| 4.1/C1 | Aquatic Chronic 1 | Chronic (long term) aquatic hazard, category 1 |
| 4.1/C3 | Aquatic Chronic 3 | Chronic (long term) aquatic hazard, category 3 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008 Classification procedure

4.1/C3 Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration.
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 5. FIRE-FIGHTING MEASURES
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS
- 15. REGULATORY INFORMATION